



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/657,760	09/08/2003	Salvatore J. Pace	30506/39552	7777

4743 7590 12/21/2005

MARSHALL, GERSTEIN & BORUN LLP
233 S. WACKER DRIVE, SUITE 6300
SEARS TOWER
CHICAGO, IL 60606

EXAMINER

NOGUEROLA, ALEXANDER STEPHAN

ART UNIT	PAPER NUMBER
----------	--------------

1753

DATE MAILED: 12/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

10/657760

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

**Failure to Acceptably Respond to
Notice of Non-Compliant Amendment (37 CFR 1.121)
No New Time Period for Reply is Provided**

12

The amendment document filed on 12/15/5 fails to provide the corrective action required by the prior Notice of Non-Compliant Amendment (37 CFR 1.121) mailed on 12/9/5. The amendment, including both the originally filed amendment and the amendment filed in response to the prior notice, is still considered to be non-compliant under 37 CFR 1.121. In order for the amendment document to be compliant, correction of the item(s) listed below is required. **Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted.** 37 CFR 1.121(h).

The period for reply continues to run from the mailing date of the prior Notice of Non-Compliant Amendment. The corrections listed below must be timely filed to avoid abandonment of the application. No new time period for reply is provided in this communication. See the Manual of Patent Examining Procedure (MPEP) § 714.03.

If the period for reply set forth in the prior Notice of Non-Compliant Amendment has expired, this application will become abandoned unless applicant: (1) corrects the deficiency, and (2) obtains an extension of time under 37 CFR 1.136(a). In no case may an applicant reply outside the SIX (6) MONTH statutory period or obtain an extension for more than FIVE (5) MONTHS beyond the date for reply set forth in the prior Notice of Non-Compliant Amendment (37 CFR 1.121).

THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
 - ☐ B. New paragraph(s) should not be underlined.
 - ☐ C. Other _____
- ☐ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
 - ☐ B. Other _____
- ☐ 3. Amendments to the drawings:
- ☐ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).
 - ☐ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.
 - ☐ C. Other: _____
- ☒ 4. Amendments to the claims:
- ☐ A. A complete listing of all of the claims is not present.
 - ☐ B. The listing of claims does not include the text of all pending claims (including withdrawn claims)
 - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following 7 status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended).
 - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
 - ☒ E. Other: Claim 16 Does not show the changes in (currently Amended.)

Denise Bayl
Supervisory Legal Instruments Examiner (SLIE)

Telephone No. 571-272-0998

If Claim 16 is currently Amended then it should show what has been Amended.

10/657760

- (4) A claim being canceled must be listed in the claim listing with the status identifier "canceled"; the text of the claim must not be presented. Providing an instruction to cancel is optional.
- (5) Any claims added by amendment must be presented in the claim listing with the status identifier "(new)"; the text of the claim must not be underlined.
- (6) All of the claims in the claim listing must be presented in ascending numerical order. Consecutive canceled, or not entered, claims may be aggregated into one statement (e.g., Claims 1 – 5 (canceled)).

Example of listing of claims (use of the word "claim" before the claim number is optional):

- Claims 1-5 (canceled)
- Claim 6 (previously presented): A bucket with a handle.
- Claim 7 (withdrawn): A handle comprising an elongated wire.
- Claim 8 (withdrawn): The handle of claim 7 further comprising a plastic grip.
- Claim 9 (currently amended): A bucket with a green blue handle.
- Claim 10 (original): The bucket of claim 9 wherein the handle is made of wood.
- Claim 11 (canceled)
- Claim 12 (not entered)
- Claim 13 (new): A bucket with plastic sides and bottom.

Sample

B) Amendments to the specification:

Amendments to the specification, including the abstract, must be made by presenting a replacement paragraph or section or abstract marked up to show changes made relative to the immediate prior version. An accompanying clean version is not required and should not be presented. Newly added paragraphs or sections, including a new abstract (instead of a replacement abstract), must not be underlined. A replacement or new abstract must be submitted on a separate sheet, 37 CFR 1.72. If a substitute specification is being submitted to incorporate extensive amendments, both a clean version (which will be entered) and a marked up version must be submitted as per 37 CFR 1.125.

The changes in any replacement paragraph or section, or substitute specification must be shown by underlining (for added matter) or strikethrough (for deleted matter) with 2 exceptions: (1) for deletion of five characters or fewer, double brackets may be used (e.g., [[error]]; and (2) if strikethrough cannot be easily perceived (e.g., deletion of the number "4" or certain punctuation marks), double brackets must be used (e.g., [[4]]). As an alternative to using double brackets, however, extra portions of text may be included before and after text being deleted, all in strikethrough, followed by including and underlining the extra text with the desired change (e.g., number 4 as number 14 as)

C) Amendments to drawing figures:

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment, and may be accompanied by a marked-up copy of one or more of the figures being amended, with annotations. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. Any marked-up (annotated) copy showing changes must be labeled "Annotated Marked-up Drawings" and accompany the replacement sheet in the amendment (e.g., as an appendix). The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Questions regarding the submission of amendments pursuant to the revised practice set forth in this flyer should be directed to: Elizabeth Dougherty or Gena Jones, Legal Advisors, or Joe Narcavage, Senior Special Projects Examiner, Office of Patent Legal Administration, by e-mail to patentpractice@uspto.gov or by phone at (703) 305-1616.